

## DS-D5019QE-B



- LED backlit technology with full HD 1366 x 768
- 19" LED backlight monitor
- Image processing: 3D comb filter, 3D De-interlace, 3D noise reduction
- Multiple interfaces: HDMI, VGA
- Wide viewing angle: Horizontal 90°, Vertical 65°
- 24/7 operation



## ▪ Specification

	Model	DS-D5019QE-B
<b>General</b>	Loudspeaker	NA
	VESA	4-M4 75 mm × 75 mm
	Dimensions(W*H*D)	446mm × 335mm × 148mm(with base)/ 446mm × 275mm × 45mm
	Packing Dimensions(W*H*D)	492mm × 337mm × 100mm
	Gross Weight	3.5Kg
	Net Weight	2.8kg
	Storage Temperature	-20 to 55 ° C (-4 to 131 ° F)
	Power Supply	AC 100-240V; 50/60Hz
	Working Temperature	0 to 40 ° C (32 to 104 ° F)
	Working Humidity	10 to 85 % (No Condensation)
	Storage Humidity	5 to 95% (No Condensation)
	Standby Power Consumption	≤ 0.5W
	Power Consumption	≤ 20W
	Color of Casing	Black
<b>Interfaces</b>	HDMI Input	1
	VGA Input	1
<b>Accessories</b>	Power Cord	1
	User Manual	1
	VGA Cable	1
	Base Bracket	1
<b>Monitor</b>	Backlight	LED Backlight
	Screen Size	18.5 inch
	Pixel Pitch	0.300 mm (H) × 0.300 mm (V)
	Max Resolution	1366×768
	Brightness	200 cd/m <sup>2</sup>
	Contrast	600:1
	Response Time	5 ms
	Color	16.7M
	Active Area	409.8mm × 230.4mm
	Viewing Angle	Horizontal 90°, vertical 60°
<b>Bracket</b>	Wall Mounted	Optional DS-DM1940W
	Base Bracket	Contain 1

**▪ Available Model**

DS-D5019QE-B

Distributed by

**HIKVISION®****Headquarters**

No.555 Qianmo Road, Binjiang District,  
Hangzhou 310051, China  
T +86-571-8807-5998  
overseasbusiness@hikvision.com

**Hikvision USA**  
T +1-909-895-0400  
sales.usa@hikvision.com

**Hikvision Australia**  
T +61-2-8599-4233  
salesau@hikvision.com

**Hikvision India**  
T +91-22-28469900  
sales@pramahikvision.com

**Hikvision Canada**  
T +1-866-200-6690  
sales.canada@hikvision.com

**Hikvision Thailand**  
T +662-275-9949  
sales.thailand@hikvision.com

**Hikvision Europe**  
T +31-23-5542770  
sales.eu@hikvision.com

**Hikvision Italy**  
T +39-0438-6902  
info.it@hikvision.com

**Hikvision Brazil**  
T +55 11 3318-0050  
Latam.support@hikvision.com

**Hikvision Turkey**  
T +90 (216)521 7070- 7074  
sales.tr@hikvision.com

**Hikvision Malaysia**  
T +601-7652-2413  
sales.my@hikvision.com

**Hikvision UK & Ireland**  
T +01628-902140  
sales.uk@hikvision.com

**Hikvision South Africa**  
Tel: +27 (10) 0351172  
sale.africa@hikvision.com

**Hikvision France**  
T +33(0)1-85-330-450  
info.fr@hikvision.com

**Hikvision Kazakhstan**  
T +7-727-9730667  
nikia.panfilov@hikvision.ru

**Hikvision Vietnam**  
T +84-974270888  
sales.vt@hikvision.com

**Hikvision UAE**  
T +971-4-4432090  
salesme@hikvision.com

**Hikvision Singapore**  
T +65-6684-4718  
sg@hikvision.com

**Hikvision Spain**  
T +34-91-737-16-55  
info.es@hikvision.com

**Hikvision Tashkent**  
T +99-87-1238-9438  
uzb@hikvision.ru

**Hikvision Hong Kong**  
T +852-2151-1761  
info.hk@hikvision.com

**Hikvision Russia**  
T +7-495-669-67-99  
saleru@hikvision.com

**Hikvision Korea**  
T +82-(0)31-731-8817  
sales.korea@hikvision.com

**Hikvision Poland**  
T +48-22-460-01-50  
info.pl@hikvision.com

**Hikvision Indonesia**  
T +62-21-2933759  
Sales.Indonesia@hikvision.com

**Hikvision Colombia**  
sales.colombia@hikvision.com